























### 5.5. Supporting online materials

Supplementary materials, including lists of PPIDB and KSIDB interactions, MINDy predictions and MINDy software are available at: <http://wiki.c2b2.columbia.edu/califanolab/PSB2009/>.

### Acknowledgements

This work is supported by the NCI (R01CA109755), the NIAID (R01AI066116), and the National Centers for Biomedical Computing NIH Roadmap Initiative (U54CA121852).

### References

1. Gough, N.R., Signal Transduction Pathways as Targets for Therapeutics. 2001. p. pe1-.
2. Zhang, Y., et al., Time-resolved Mass Spectrometry of Tyrosine Phosphorylation Sites in the Epidermal Growth Factor Receptor Signaling Network Reveals Dynamic Modules. *Mol Cell Proteomics*, 2005. **4**(9): p. 1240-1250.
3. Roberts, C.J., et al., Signaling and circuitry of multiple MAPK pathways revealed by a matrix of global gene expression profiles. *Science*, 2000. **287**: p. 873-880.
4. Gardner, T.S., et al., Inferring genetic networks and identifying compound mode of action via expression profiling. *Science*, 2003. **301**(5629): p. 102-5.
5. Basso, K., et al., Reverse engineering of regulatory networks in human B cells. *Nat Genet*, 2005. **37**(4): p. 382-390.
6. Steffen, M., et al., Automated modelling of signal transduction networks. *BMC Bioinformatics*, 2002. **3**(34).
7. Wang, K., et al., Genome-Wide Discovery of Modulators of Transcriptional Interactions in Human B Lymphocytes. *Lecture Notes in Computer Science*, 2006. **3909**: p. 348 - 362.
8. Wang, K., et al., Genome-wide Identification of Post-translational Modulators of Transcription Factor Activity in Human B Cells. Submitted, 2008.
9. Ashburner, M., et al., Gene Ontology: tool for the unification of biology. *Nat Genet*, 2000. **25**(1): p. 25.
10. Foat, B.C., R.G. Tepper, and H.J. Bussemaker, TransfactomeDB: a resource for exploring the nucleotide sequence specificity and condition-specific regulatory activity of trans-acting factors. *Nucl. Acids Res.*, 2007: p. gkm828.
11. Margolin, A., et al., ARACNE: An Algorithm for the Reconstruction of Gene Regulatory Networks in a Mammalian Cellular Context. *BMC Bioinformatics*, 2006. **7**(Suppl 1): p. S7.
12. Peri, S., et al., Development of human protein reference database as an initial platform for approaching systems biology in humans. *Genome Res*, 2003. **13**(10): p. 2363-71.
13. Bader, G.D., D. Betel, and C.W. Hogue, BIND: the Biomolecular Interaction Network Database. *Nucleic Acids Res*, 2003. **31**(1): p. 248-50.
14. Xenarios, I., et al., DIP, the Database of Interacting Proteins: a research tool for studying cellular networks of protein interactions. *Nucleic Acids Res*, 2002. **30**(1): p. 303-5.
15. Hermjakob, H., et al., IntAct: an open source molecular interaction database. *Nucleic Acids Res*, 2004. **32**(Database issue): p. D452-5.
16. Linding, R., et al., Systematic Discovery of In Vivo Phosphorylation Networks. *Cell*, 2007. **129**(7): p. 1415-1426.
17. Kanehisa, M., et al., From genomics to chemical genomics: new developments in KEGG. *Nucleic Acids Res*, 2006. **34**(Database issue): p. D354-7.
18. Dahlquist, K.D., et al., GenMAPP, a new tool for viewing and analyzing microarray data on biological pathways. *Nat Genet*, 2002. **31**(1): p. 19-20.
19. Tamaskovic, R., S.J. Bichsel, and B.A. Hemmings, NDR family of AGC kinases--essential regulators of the cell cycle and morphogenesis. *FEBS Lett*, 2003. **546**(1): p. 73-80.
20. Subramanian, A., et al., From the Cover: Gene set enrichment analysis: A knowledge-based approach for interpreting genome-wide expression profiles. *PNAS*, 2005. **102**(43): p. 15545-15550.