























24. Y. Liu, T. Ge, et al. Exploiting Task-Oriented Resources to Learn Word Embeddings for Clinical Abbreviation Expansion. *arXiv:1804.04225*, 2018.
25. G. Louppe and M. Kumar. Scikit-optimize, 2018.
26. Y. Luo. Recurrent neural networks for classifying relations in clinical notes. *Journal of Biomedical Informatics*, 72:85–95, 2017.
27. T. Mikolov, K. Chen, et al. Efficient Estimation of Word Representations in Vector Space. *arXiv:1301.3781*, pages 1–12, 2013.
28. S. T. Moturu, W. G. Johnson, and H. Liu. Predicting future high-cost patients: A real-world risk modeling application. *Proc. BIBM 2007*, pages 202–208, 2007.
29. Ontario Hospital Association. Ideas and Opportunities for Bending the Health Care Cost Curve, 2010.
30. C. Paxton, A. Niculescu-Mizil, and S. Saria. Developing predictive models using electronic medical records: challenges and pitfalls. *Proc. AMIA Annual Symposium 2013*, 2013:1109–15, 2013.
31. B. Pedziński, P. Sowa, et al. Information and communication technologies in primary healthcare - Barriers and facilitators in the implementation process. *Studies in Logic, Grammar and Rhetoric*, 35(48):179–189, 2013.
32. J. Pennington, R. Socher, and C. Manning. Glove: Global Vectors for Word Representation. *Proc. EMNLP 2014*, pages 1532–1543, 2014.
33. A. M. Placona, R. King, and F. Wang. Longitudinal Clustering of High-cost Patients' Spend Trajectories : Delineating Individual Behaviors from Aggregate Trends. *AMIA Annu Symp Proc*, pages 907–915, 2018.
34. M. F. Porter. An algorithm for suffix stripping. *Program*, 14(3):130–137, 1980.
35. S. Pyysalo, F. Ginter, et al. Distributional Semantics Resources for Biomedical Text Processing. *Proceedings of LBM*, pages 39–44, 2013.
36. S. Rais, A. Nazerian, et al. High-cost users of Ontario's healthcare services. *Healthcare Policy*, 9(1):44–51, 2013.
37. L. C. Rosella, T. Fitzpatrick, et al. High-cost health care users in Ontario, Canada: Demographic, socio-economic, and health status characteristics. *BMC Health Services Research*, 14(1), 2014.
38. B. A. Rosser, L. M. McCracken, et al. Concerns about medication and medication adherence in patients with chronic pain recruited from general practice. *Pain*, 152(5):1201–1205, 2011.
39. N. Shaw. The role of the professional association: A grounded theory study of Electronic Medical Records usage in Ontario, Canada. *IJIM*, 34(2):200–209, 2014.
40. X. Sun and W. Xu. Fast implementation of DeLong's algorithm for comparing the areas under correlated receiver operating characteristic curves. *IEEE Signal Processing Letters*, 21(11):1389–1393, 2014.
41. S. Tamang, A. Milstein, et al. Predicting patient 'cost blooms' in Denmark: A longitudinal population-based study. *BMJ Open*, 7(1):1–10, 2017.
42. K. Tu, J. Klein-Geltink, et al. De-identification of primary care electronic medical records free-text data in Ontario, Canada. *BMC Medical Informatics and Decision Making*, 10(1), 2010.
43. K. Tu, T. F. Mitiku, et al. Evaluation of Electronic Medical Record Administrative data Linked Database (EMRALD). *American Journal of Managed Care*, 20(1):15–21, 2014.
44. Y. Wang, S. Liu, et al. A Comparison of Word Embeddings for the Biomedical Natural Language Processing. *arXiv:1802.00400*, 2018.
45. W. P. Wodchis, P. C. Austin, and D. Henry. A 3-year study of high-cost users of health care. *CMAJ*, 188(3):182–188, 2016.
46. W. P. Wodchis, K. Bushmeneva, et al. Guidelines on Person-Level Costing Using Administrative Databases in Ontario. *HSPRN*, 1, 2013.
47. C. J. Zook and F. D. Moore. High-Cost Users of Medical Care. *New England Journal of Medicine*, 302(18):996–1002, 1980.