



























18. Gibson T, Goldberg D (2008) Questioning the ubiquity of neofunctionalization. *PLoS Computation Biology*. In Revision.
19. Wagner A (2001) The yeast protein interaction network evolves rapidly and contains few redundant duplicate genes. *Mol Biol Evol* 18:1283–1292.
20. He X, Zhang J (2005) Rapid subfunctionalization accompanied by prolonged and substantial neofunctionalization in duplicate gene evolution. *Genetics* 169:1157–1164.
21. Batada N N, et al. (2007) Still stratus not altocumulus: further evidence against the date/party hub distinction. *PLoS Biol* 5:e154.
22. Tarassov K, et al. (2008) An in vivo map of the yeast protein interactome. *Science* 320:1465–1470.
23. Wapinski I, Pfeffer A, Friedman N, Regev A (2007) Natural history and evolutionary principles of gene duplication in fungi. *Nature* 449:54–61.
24. Kellis M, Birren B W, Lander E S (2004) Proof and evolutionary analysis of ancient genome duplication in the yeast *saccharomyces cerevisiae*. *Nature* 428:617–624.
25. Hormozdiari F, Berenbrink P, Pržulj N, Sahinalp S C (2007) Not all scale-free networks are born equal: The role of the seed graph in PPI network evolution. *PLoS Comput Biol* 3:e118.
26. Goldberg D S, Roth F P (2003) Assessing experimentally derived interactions in a small world. *Proc Natl Acad Sci U S A* 100:4372–4376.
27. Yook S H, Oltvai Z N, Barabási A L (2004) Functional and topological characterization of protein interaction networks. *Proteomics* 4:928–942.
28. Han J D J, Dupuy D, Bertin N, Cusick M E, Vidal M (2005) Effect of sampling on topology predictions of protein-protein interaction networks. *Nat Biotechnol* 23:839–844.
29. Yu H, et al. (2004) Annotation transfer between genomes: protein-protein interologs and protein-DNA regulogs. *Genome Res* 14:1107–1118.
30. von Mering C, et al. (2002) Comparative assessment of large-scale data sets of protein-protein interactions. *Nature* 417:399–403.