

























13. Feldman, H. J. & Hogue, C. W. A fast method to sample real protein conformational space. *Proteins* **39**, 112–131 (2000).
14. Feldman, H. J. & Hogue, C. W. V. Probabilistic sampling of protein conformations: new hope for brute force? *Proteins* **46**, 8–23 (2002).
15. Ozenne, V. *et al.* Flexible-meccano: a tool for the generation of explicit ensemble descriptions of intrinsically disordered proteins and their associated experimental observables. *Bioinforma. Oxf. Engl.* **28**, 1463–1470 (2012).
16. Mittag, T. & Forman-Kay, J. D. Atomic-level characterization of disordered protein ensembles. *Curr. Opin. Struct. Biol.* **17**, 3–14 (2007).
17. Krzeminski, M., Marsh, J. A., Neale, C., Choy, W.-Y. & Forman-Kay, J. D. Characterization of disordered proteins with ENSEMBLE. *Bioinformatics* **29**, 398–399 (2013).
18. Huang, J. *et al.* CHARMM36m: an improved force field for folded and intrinsically disordered proteins. *Nat. Methods* **14**, 71–73 (2017).
19. Huang, J. & MacKerell, A. D. Force field development and simulations of intrinsically disordered proteins. *Curr. Opin. Struct. Biol.* **48**, 40–48 (2018).
20. Keul, N. D. *et al.* The entropic force generated by intrinsically disordered segments tunes protein function. *Nature* **563**, 584–588 (2018).
21. Busch, D. J. *et al.* Intrinsically disordered proteins drive membrane curvature. *Nat. Commun.* **6**, 7875 (2015).
22. McMahon, H. T. & Boucrot, E. Molecular mechanism and physiological functions of clathrin-mediated endocytosis. *Nat. Rev. Mol. Cell Biol.* **12**, 517–533 (2011).
23. Ford, M. G. J. *et al.* Curvature of clathrin-coated pits driven by epsin. *Nature* **419**, 361–366 (2002).
24. Jakobsson, J. *et al.* Role of epsin 1 in synaptic vesicle endocytosis. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 6445–6450 (2008).
25. Tebar, F., Sorkina, T., Sorkin, A., Ericsson, M. & Kirchhausen, T. Eps15 is a component of clathrin-coated pits and vesicles and is located at the rim of coated pits. *J. Biol. Chem.* **271**, 28727–28730 (1996).
26. Carbone, R. *et al.* eps15 and eps15R are essential components of the endocytic pathway. *Cancer Res.* **57**, 5498–5504 (1997).
27. van Bergen En Henegouwen, P. M. Eps15: a multifunctional adaptor protein regulating intracellular trafficking. *Cell Commun. Signal. CCS* **7**, 24 (2009).
28. Schymkowitz, J. *et al.* The FoldX web server: an online force field. *Nucleic Acids Res.* **33**, W382–W388 (2005).
29. Kalthoff, C., Alves, J., Urbanke, C., Knorr, R. & Ungewickell, E. J. Unusual structural organization of the endocytic proteins AP180 and epsin 1. *J. Biol. Chem.* **277**, 8209–8216 (2002).
30. Cupers, P., ter Haar, E., Boll, W. & Kirchhausen, T. Parallel dimers and anti-parallel tetramers formed by epidermal growth factor receptor pathway substrate clone 15. *J. Biol. Chem.* **272**, 33430–33434 (1997).
31. Drozdetskiy, A., Cole, C., Procter, J. & Barton, G. J. JPred4: a protein secondary structure prediction server. *Nucleic Acids Res.* **43**, W389–W394 (2015).
32. Chandramohan, A. *Structural insights into folded, unfolded and nascent protein states using ensemble sampling and cluster expansion.* (2014). URL: <https://scholarbank.nus.edu.sg/handle/10635/77759>
33. Zhao, C., Liu, C., Hogue, C. W. V. & Low, B. C. A cooperative jack model of random coil-to-elongation transition of the FH1 domain by profilin binding explains formin motor behavior in actin polymerization. *FEBS Lett.* **588**, 2288–2293 (2014).
34. Liu, C., Yao, M. & Hogue, C. W. V. Near-membrane ensemble elongation in the proline-rich LRP6 intracellular domain may explain the mysterious initiation of the Wnt signaling pathway. *BMC Bioinformatics* **12 Suppl 13**, S13 (2011).
35. Marchetti, J., Monzon, A. M., Tosatto, S. C. E., Parisi, G. & Fornasari, M. S. Ensembles from Ordered and Disordered Proteins Reveal Similar Structural Constraints during Evolution. *J. Mol. Biol.* **431**, 1298–1307 (2019).